



Government of Karnataka

Rural Water Supply and Sanitation Department

**Office of the Commissioner, RWS&SD, 2nd Floor, "E" Block, KHB Complex, Cauvery Bhavana,
KG. Road, Bengaluru-560 009 Phone: 080-22240508 e-mail: krwssd@gmail.com**

No:-RDWSD/376/2021-22

Date: 15.06.2022

Invitation of Application for Empanelment of State Quality Monitors
(SOM) for JJM works

The Rural Drinking Water Supply and Sanitation Dept of Karnataka Government is implementing various rural water supply schemes under Jal Jeevan Mission (JJM) to enable potable water supply in adequate quantity of prescribed quality on regular basis to every rural household of Karnataka.

To ensure good quality in these schemes, Government intends to empanel State Quality Monitors (SQM) for monitoring of in village works of Jal Jeevan Mission across the state.

- i. Selection of the quality monitors is done by the selection committee on technical parameters.
- ii. Quality monitors are required to visit the assigned districts for 8 to 10 days in a month and submit report in the prescribed format after conducting necessary survey and tests as per the guidelines.
- iii. Evaluation of inspection reports of quality monitors will be done once in every month.
- iv. The monitors will be paid the remuneration per day of inspection, daily allowance, Incidental charge, Reporting allowance and actual travelling cost as per the orders of the Government from time to time.
- v. The candidate should be a graduate in Civil/Environmental/ PH Engineering from recognized university.
- vi. For inspection of in village works of Jal Jeevan Mission :
The candidate should have retired from the post not below the level of Executive Engineer or equivalent from a Govt. Organization Central/ State, Public Sector Undertakings (PSUs) or their subordinate offices. Retired or serving faculty members of Government Engineering colleges

Suj


- / IITs / NITs/ Government research institutes, etc. Who have worked / consulted in the field of Drinking Water Supply Schemes can also apply
- vii. Experience: The candidate (Retired Government Engineer) should possess the experience of working in the field of Drinking Water supply sector for at least 4 years during his/her service. He should have worked any field out of planning and designing executive or management of water supply schemes. Retired or serving faculty members of government engineering college/ IITs / NITs /Government research institutes should possess minimum 10 years experience in the field of planning /design/supervision/execution/ consultancy of construction and maintenance of Water Supply Schemes
- viii. No applicant would be allowed to work as SQM after completing the age of 70 years. Therefore, the applicant should not have attained the age of **67 years on the last date of application** so that the applicant is able to work as SQM for approximately 3 years, subject to satisfactory performance.
- ix. The monitors who attain the age of 70 years or who do not perform well will be dropped from the panel.
- x. The candidate should be willing to work as State quality monitor with high ethical standards and sign the code of conduct. The candidate shall not inspect any work executed under his supervision or chain of command.
- xi. Rural Water Supply and sanitation Dept, Govt of Karnataka reserves the right to accept or reject the application.

The application may be submitted in the given format to Commissioner, RDW&SD, 2nd Floor, KHB Complex, Cauvery Bhavana, KG Road Bangalore - 560009 on or before 02-07-2022. Applications received after the last date will not be considered.


Director

Rural Water Supply and Sanitation Department
Bengaluru

Application format for Empanelment as State Quality Monitor



(Passport size coloured photograph of candidate to be pasted in the box)

1. **Name:**

(As per service records):

2. **Date of Birth:**/...../.....

(Date/Month/Year)

(in words)

3. (i) **Date of Retirement from Govt. Service:**/...../.....
Date/Month/Year

(in case of retired officer)

(ii) **Date of Regular Appointment in Academic/ Research Institute:**
Date/Month/Year/...../.....

(in case of working officials)

4. **Communication Address:**

5. **Contact Information:**

(a) Mobile No(s).:

(b) e-mail ID (in CAPITAL LETTERS) :

6. Educational & Professional Qualifications:

Sl. No.	*Degree	Year of Passing	Subject/ Discipline/ Specialization	University	Class/Grade obtained
1.	Bachelors Degree				
2.	Masters Degree				
3.	Doctoral Degree				
4.	Other Degree				
5.					
6.					

**enclose copy of Certificates*

7. (i) PAN**number-

*** enclose copy of documents*

8. Employment record of Government service:

Sl. No.	Organisation /Department	Post Held/ Level***	Duration		Details of work experience
			From	To	

****AE/AEE/EE/SE/Addl.CE/ CE/Professor/Associate Professor*

(if required attach a separate sheet)

9. Employment record post retirement:

Sl. No.	Organisation	Position held	Duration		Details of work experience
			From	To	

10. Field of Specialization/Special Interest (if any):

11. Post from which retired:

12. Other Details (Membership of professional bodies, authorship of technical papers, consultancies, etc.):
(May attach extra sheet, if required)

13. Whether any departmental corruption cases initiated against the candidate, during service period:(Yes/No)
If yes,-results of the same:

Willingness to work as SQM:

(a) The undersigned is maintaining good health and is willing to take up field inspection assignments and other office works as State Quality Monitor under RDWSD.

(b) I understand that I may be assigned to carry out field inspections in the State in accordance with the Guidelines.

Declaration: I hereby declare that the details furnished above are true and correct to the best of my knowledge. In case any of the above information is found to be false or misleading or misrepresenting, I am aware that I may be held liable for it and my empanelment as SQM may be immediately cancelled and necessary action, as deemed fit, may be taken against me.

Signature.....

Name of applicant.....

Date.....

Place.....

